



REGISTRO UNICO DE CONTRIBUYENTES SOCIEDADES

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED
DATE 03-06-2008 BY 60322 UCBAW

RAZON SOCIAL: UNIDEPRI UNIDAD DE SEGURIDAD PRIVADA CIA. LTDA

NUMBER OF STUDENTS: 100

CLASSIFICATION

DOI: 10.1002/anie.201100014

CONCLUSION: The results of this study suggest that the use of a single, low-dose, intravenous bolus of propofol may be a safe and effective method for the induction of general anesthesia in patients with a history of alcohol abuse.

ST. ANNE'S PARISH	2014-2015	REG. CONSTITUTION	2010-2011
CL. MEMBERSHIP	2850-3000	FROM 0.4% TO 0.45%	2010-2011

[illegible]

www.pearsoned.com.au/education/au/production/9780130352567

SCHWAB & CO.

[illegible]

15 JUL 04 9 16 PM '76 8 29

© 2004 Blackwell Publishing Ltd *Journal of Internal Medicine* 255: 293–300

● 2014 年 4 月 26 日 星期五

THE UNIVERSITY OF MICHIGAN LIBRARIES

11. $\frac{1}{2} \times \frac{1}{2} \times \frac{1}{2} \times \frac{1}{2} \times \frac{1}{2} = \frac{1}{32}$

• 10.5.19.12

FILE SOLVE TECHNIQUES RECONSTRAINED:	16-07-14 03	AMPERTES	:
SUBROUTINE	REG CHNL TOTAL SUB SUBVARS	CONSTRAINTS	:

Handwritten Signature

11/10/2014 12:25:56 PM

5. 项目评价结论及建议

Page 1 of 1

1. The first step is to identify the problem.
 2. The second step is to define the problem.
 3. The third step is to analyze the problem.
 4. The fourth step is to develop a solution.
 5. The fifth step is to implement the solution.
 6. The sixth step is to evaluate the solution.
 7. The seventh step is to monitor the solution.
 8. The eighth step is to maintain the solution.
 9. The ninth step is to improve the solution.
 10. The tenth step is to document the solution.

