



NÚMERO PAG	576213359999	17/06/2017
RAZÓN SOCIAL	DEVILLA & DEVILLA CIA. LTDA	
UBICACIÓN CONTRATO	BOYACÁ 27 (LA OLIVERA)	
CLASE CONTRATO	PROY	
REPRESENTANTE	FRANCISCO J. R. DEVILLA	
CONTACTO	313 444 4444	

PERMANENT RESIDUALS	11.14	PERMANENT RESIDUALS	11.14
PERMANENT RESIDUALS	11.14	PERMANENT RESIDUALS	11.14

ACTIVITY 4: INTRODUCING HEMC.FIL

WISCONSIN POWER & LIGHT CO. 100%

2008-09-19 10:30 AM

[illegible]

EMPIRICAL

CALCULATED FINANCIALS

* ANILIN, 4-CHLORALDHYDE, 2,4-DICHLOROPHENOL, 2,4-DICHLOROPYRIDINE
 * ANILIN, 4-CHLORALDHYDE, 2,4-DICHLOROPHENOL, 2,4-DICHLOROPYRIDINE
 * ANILIN, 4-CHLORALDHYDE, 2,4-DICHLOROPHENOL, 2,4-DICHLOROPYRIDINE
 * ANILIN, 4-CHLORALDHYDE, 2,4-DICHLOROPHENOL, 2,4-DICHLOROPYRIDINE
 * ANILIN, 4-CHLORALDHYDE, 2,4-DICHLOROPHENOL, 2,4-DICHLOROPYRIDINE

[illegible]

Figure 1. Schematic representation of the experimental design. The study was divided into two phases: a baseline phase and a treatment phase. The baseline phase consisted of a 10-day period during which the participants performed the task without any feedback. The treatment phase consisted of a 10-day period during which the participants performed the task with feedback. The participants were divided into two groups: a control group and an experimental group. The control group performed the task without any feedback, while the experimental group performed the task with feedback. The participants were also divided into two subgroups: a baseline subgroup and a treatment subgroup. The baseline subgroup performed the task during the baseline phase, while the treatment subgroup performed the task during the treatment phase. The participants were also divided into two subgroups: a control subgroup and an experimental subgroup. The control subgroup performed the task without any feedback, while the experimental subgroup performed the task with feedback. The participants were also divided into two subgroups: a baseline subgroup and a treatment subgroup. The baseline subgroup performed the task during the baseline phase, while the treatment subgroup performed the task during the treatment phase.

Sillgren